

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"525156".AP.	US-PGPUB; USPAT	ADJ	ON	2008/03/04 18:44
S2	1	"6208732".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:34
S3	1	"6269154".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:35
S4	2	"20010048716"	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:36
S5	1	"20020106013"	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:37
S6	1091	375/257.CCLS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:40
S7	2189	(375/257 or 375/296). CCLS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:42
S8	5417	(375/257 or 375/296 or 375/297 or 379/24 or 379/406.01 or 379/406.05 or 379/398 or 379/399.01 or 379/402 or 379/414). CCLS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:48
S9	6	S8 and (first and second) near4 (transmission adj unit)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:49
S10	79	S8 and (transmission adj unit)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:50
S11	79	S8 and (transmission adj unit)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 10:50
S12	119	S8 and sensor and impedance and switch \$3	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:03

S13	7834	(operat\$3 adj state) near4 signal	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:03
S14	5	S12 and S13	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:04
S15	398	(line adj driver) and S8	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:05
S16	24	(line adj driver) and S8 and sensor	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:06
S17	2	"20010040917"	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:14
S18	2	"20010040917" and resistor	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:14
S19	0	"20010040917" and amplifier	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:15
S20	0	"20010040917" and amplify	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:15
S21	2	"20010040917" and sensor	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:16
S22	73280	operational adj amplifiers	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:17
S23	1477	(operational adj amplifiers) with (resistors near3 switch \$3)	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:17
S24	38	(operational adj amplifiers) with (resistors near3 switch \$3) and "375".CLAS.	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:18
S25	11	(operational adj amplifiers) with (resistors near3 switch \$3) and "375".CLAS. and (transmission adj line)	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:18
S26	2	"20010040917"	US- PGPUB; USPAT	ADJ	ON	2008/03/06 11:28

S27	2	"20010040917" and sensor	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:29
S28	0	"20010040917" and ISDN	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:29
S29	2	"20010040917" and switch\$3	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:30
S30	0	"20010040917" and (switch\$3 near4 resistor)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:32
S31	2	"20010040917" and (resistor)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:32
S32	366784	sensor with detect\$3	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:41
S33	6344	(sensor with detect\$3) and (transmission adj line)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:41
S34	121	(sensor with detect\$3 with impedance) and (transmission adj line)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:41
S35	0	(sensor with detect\$3 with impedance) and (transmission adj line) and "375".CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:42
S36	2	(sensor with detect\$3 with impedance) and (transmission adj line) and "379".CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:42
S37	595	(sensor with detect\$3 with impedance) and driver	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:43
S38	0	(sensor with detect\$3 with impedance) and driver and "735".CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:43
S39	3	(sensor with detect\$3 with impedance) and driver and "375".CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:43
S40	261	(detect\$3 near4 state) with (transmission adj line)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:44
S41	12	(detect\$3 near4 state) with (transmission adj line) with impedance	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:45

S42	645	(line adj driver) and ISDN	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:48
S43	371	(line adj driver) and ISDN and sens\$3	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:48
S44	11	(line adj driver) and ISDN and (sens\$3 with impedance)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:48
S45	93	(impedance adj jump\$)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:55
S46	798589	sensor	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:57
S47	13876	sensor and (transmission adj line)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:58
S48	459	sensor and (transmission adj line) and "375".CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:58
S49	17	sensor and (transmission adj line) and "375".CLAS. and OA	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:58
S50	17	sensor and (transmission adj lines) and "375".CLAS. and OA	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:59
S51	5333	sensor and (transmission adj lines) and amplifiers	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:59
S52	7462	sensor and (transmission adj lines) and (amplifiers or driver)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:59
S53	3144	sensor and (transmission adj lines) and (amplifiers or driver) and impedance	US-PGPUB; USPAT	ADJ	ON	2008/03/06 11:59
S54	506	sensor and (transmission adj lines) and ((amplifiers or driver) with (resistor and switch))	US-PGPUB; USPAT	ADJ	ON	2008/03/06 12:00

S55	55	sensor and (transmission adj lines) and ((amplifiers or driver) with (resistor and switch)) and ("375".CLAS. or "379".CLAS.)	US-PGPUB; USPAT	ADJ	ON	2008/03/06 12:00
S56	0	detect43 adj impedance	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:09
S57	2201	detect\$3 adj impedance	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:09
S58	42	(detect\$3 adj impedance) near device	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:09
S59	72	(detect\$3 adj impedance) and ("375" or "379").CLAS.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:10
S60	1	"6211719".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:19
S61	1	"6211719".PN. and ISDN	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:19
S62	1	"5856758".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:45
S63	1	"5856758".PN. and current	US-PGPUB; USPAT	ADJ	ON	2008/03/06 13:45
S64	4	"525156".AP.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 14:16
S65	1	"5856758".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 15:00
S66	0	"5856758".PN. and switch\$4	US-PGPUB; USPAT	ADJ	ON	2008/03/06 15:00
S67	1	"6211719".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 15:17
S68	1	"6211719".PN. and switch\$4	US-PGPUB; USPAT	ADJ	ON	2008/03/06 15:17

S69	4	"525156".AP.	US-PGPUB; USPAT	ADJ	ON	2008/03/06 15:55
S70	1	"6026418".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:22
S71	0	"6026418".PN. and GHz	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:22
S72	1	"6026418".PN. and Hz	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:22
S73	1	"6448921".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:24
S74	0	"6448921".PN. and Hz	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:24
S75	1	"6448921".PN. and GHz	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:24
S76	1	"20060029213"	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:45
S77	1	"20060029213" and switch\$4	US-PGPUB; USPAT	ADJ	ON	2008/03/10 10:45
S78	2	"20010040917"	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:20
S79	0	"20010040917" and ISDN	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:20
S80	1	"6211719".PN.	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:21
S81	1	"6211719".PN. and ISDN	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:21
S82	0	"6211719".PN. and transmission adj line	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:48
S83	0	"6211719".PN. and (transmission adj line)	US-PGPUB; USPAT	ADJ	ON	2008/03/10 11:48

3/10/2008 5:14:40 PM

C:\Documents and Settings\shassan1\My Documents\EAST\Workspaces
\10525156_search.wsp